

Veröffentlichungen

Kruse, C. und Sordyl, H. "Bestimmung der mittleren Lebenszeit von Erythrozyten bei Regenbogenforellen (*Salmo gairdneri* RICHARDSON) mittels CR-Markierung", Wiss. Z. WPU Rostock N-Reihe 37 (1988), 93-96

Kruse, C. und Spannhof, L. "Hormonale Maskulinisierung von Regenbogenforellen (*Oncorhynchus mykiss*) und Nachweis von Östradiolbindungsstellen (-rezeptoren) in verschiedenen Organen", Fischerei-Forschung 29 (1991), 36-37

Kruse, C., Plantikow, H., Blüm, V. und Spannhof, L. "Bestimmung von Östradiolbindungsproteinen im adipo-pankreatischen Gewebe und Leberzytosol der Regenbogenforelle (*Oncorhynchus mykiss*)", Zoologische Jahrbücher Physiologie 96 (1992), 339-349

Kruse, Ch.; Strehlow, B.; Schmidt, H. and Müller, P. K. "Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes", Aquaculture 142 (1996), 237-244

Kügler, S.; Grünweller, A.; Probst, C.; Müller, P. K. and Kruse, C. "Vigilin contains a functional nuclear localisation sequence and is present both in the cytoplasm and the nucleus", FEBS Letters 382 (1996), 330-334

Rumpel, E.; Kruse, C.; Müller, P. K. and Kühnel, W. "Expression of vigilin in the uterus of ovariectomized steroid-treated rats and during the estrous cycle", Annals of Anatomy 178, (1996), 337-344

Klinger, M. and Kruse, C. "Immunocytochemical localization of vigilin, a tRNA-binding protein, after cell fractionation and within the exocrine pancreatic cell of the rat", Annals of Anatomy 178 (1996), 331-335

Kruse, C.; Grünweller, A.; Notbohm, H.; Kügler, S.; Purschke, W., G. and Müller, P.K. „Evidence for a novel cytoplasmic tRNA protein complex containing the KH-multidomain protein Vigilin“, Biochemical Journal 320 (1996), 247-252

Grünweller, A.; Purschke, W., G.; Kügler, S.; Kruse, C. and Müller, P. K. „Chicken vigilin gene: A distinctive pattern of hypersensitive sites is characteristic for its transcriptional activity“, Biochemical Journal 326 (1997), 601-607

Kruse, C., Grünweller, A., Willkomm, D. K., Pfeiffer, T., Hartmann, R. K. and Müller, P.K. „tRNA is entrapped in similar but distinct nuclear and cytoplasmic ribonucleoprotein complexes both of which contain vigilin and elongation factor 1 α “, Biochemical Journal 329 (1998), 615-621

Kruse, C., Emmrich, J., Rumpel, E., Klinger, M. H. F., Grünweller, A., Krammer, H.-J., Kühnel, W. and Müller, P. K. „Production of trypsin by cells of the exocrine pancreas is paralleled by the expression of the KH-protein vigilin“, Experimental Cell Research 239 (1998), 111-118

Kruse, C., Willkomm, D., Grünweller, A., Vollbrandt, T., Sommer, S., Busch, S., Pfeiffer, T., Brinkmann, J., Hartmann, R.K. and Müller, P.K. „Export and transport of tRNA are coupled to a multi-protein complex“, Biochemical Journal 346 (2000), 107-115

Kruse, C., Hartmann, R.K. and Müller, P.K. „Nuclear-cytoplasmic translocation of tRNA“, Exp. Cell Res. 262 (2001), 3-7

Hilgendorf, I., Gellersen, O., Emmrich, J., Mikkat, U., Rohwedel, J., Krammer, H.-J., Müller, P.K. and Kruse, C. „Estradiol has a direct impact of the exocrine pancreas as demonstrated by enzyme and vigilin expression”, Pancreatology 1 (2001), 24-29

Schuh, A., Assmuth, K., Hilgendorf, I., Müller, P.K. and Kruse, C. “Protein synthesis of eucaryotic cells could be decreased by antisense-DNA of the multi KH domain protein vigilin”, Int. J. Mol. Med. 12 (2003), 35-43

Hilgendorf, I., Van de Perck, M., Emmrich, J., Krammer, H.-J. and Kruse, C. „Vigilin and pancreatic enzyme expression in isolated pancreatic acini after mellitin and gamma interferon treatment”, Pancreatology 3 (2003), 336-341; IF: 1,6

Rohwedel, J., Kügler, S., Engebrecht, T., Hegert, C., Purschke, W., Müller, P.K. and Kruse, C. „The multi-KH protein vigilin is posttranscriptional regulated by a peptide coded in the 5’NTR of the vigilin mRNA”, Cell. Mol. Life Sci. 60 (2003), 1705-1716

Kruse, C., Willkomm, D., Gebken, J., Schuh, A., Stoßberg, H., Vollbrandt, T. and Müller, P.K. „The multi-KH-protein vigilin associates with free and membrane bound ribosomes”, Cell. Mol. Life Sci. 60 (2003), 2219-2228

Vollbrandt, T., Willkomm, D., Stoßberg, H., and Kruse, C. „Vigilin is colocalized with 80S ribosomes and binds to the ribosomal complex through its C-terminal domain”, Int. J. Biochem. Cell Biol. 36 (2004), 1306-1318

Kruse, C., Birth, M., Rohwedel, J., Assmuth, K., Goepel, A., and Wedel, T. “Pluripotency of adult stem cells derived from human and rat pancreas”, Appl. Phys. A 79 (2004), 1617-1624

Kramer, J., Klinger, M., Kruse, C., Faza, M., Hargus, G., Rohwedel, J. „Ultrastructural analysis of mouse embryonic stem cell-derived chondrocytes”, Anat. Embryol. (Berl.) 210 (2005), 175-185

Kruse, C., Bodo, E., Petschnik, A. E., Danner, S., Tiede, S. and Paus, R. “Towards the development of a pragmatic technique for isolating and differentiating nestin-positive cells from human scalp skin into neuronal and glial cell populations: generating neurons from human skin?”, Exp. Dermatol. 15 (2006), 794-801

Kruse, C., Kajahn, J., Petschnik, A. E., Maaß, A., Klink, E., Rapoport, D. H. and Wedel, T. “Adult pancreatic stem/progenitor cells spontaneously differentiate in vitro into multiple cell lineages and form teratoma-like structures”, Ann. Anat. 188 (2006), 503-517

Guldner, N. W., Kajahn, J., Klinger, M., Sievers, H.-H. and Kruse, C. “Autonomously contracting human cardiomyocytes generated from adult pancreatic stem cells and enhanced in cocultures with myocardial biopsies”, Artif. Org. 29 (2006), 1158-1166

Danner, S., Kajahn, J., Geismann, C., Klink, E. and Kruse, C. “Derivation of oocyte-like cells from a clonal pancreatic stem cell line”, Mol. Hum. Reprod. (2007); 13:11-20

Tiede, S., Kloepper, J.E., Bodò, E., Tiwari, S., Kruse, C. and Paus, R. „Hair follicle stem cells: Walking the maze”, Eur. J. Cell Biol. (2007) 86:355-376.

Hilgendorf, I., Aßmuth, K., Sparmann, G., Emmrich, J. and Kruse, C. “Enhanced vigilin and anionic trypsinogen expression in experimental chronic pancreatitis”, Centr. Eur. J. Med. (2007) 2:159-167

Kajahn, J., Gorjup, E., Tiede, S., v. Briesen, H., Paus, R., Kruse, C and Danner, S. „Skin-derived human adult stem cells surprisingly share many features with human pancreatic stem cells”, Eur. J. Cell Biol. (2007) 87:39-46

Danner, S., Kajahn, J., Kruse, C., Glanduläre Stammzellen - Eine neue Quelle für Zellersatz-Therapien? Zeitschrift für regenerative Medizin, 2. Jahrgang 2007

Ciba, P., Schicktanz, S., Anders, E., Siegl, E. Stielow, A., Klink, E. and Kruse, C. „Long-term culture of a cell population from Siberian sturgeon (*Acipenser baerii*) head kidney”, Fish Physiol. Biochem. (2008) 34:367-372

Kruse, C., Danner, S. and Rapoport D. H. “Current stem cell technology: Limitations and realistic expectations” Eng. Life Sci. (2008) 8:1-8

Rapoport, D. H., Danner, S. and Kruse C. “Glandular stem cells are a promising source for much more than beta-cell replacement.” Ann. Anat. (2009) 191:62-69

Petschnik, A. E., Ciba, P., Kruse, C. and Danner, S. “Controlling alpha-SMA expression in adult human pancreatic stem cells by soluble factors.” Ann. Anat. (2009) 191:116-125

Salem, H., Ciba, P., Rapoport, D. H., Egana, J. T., Reithmayer, K., Kadry, M., Machens, H. G. and Kruse, C. “The influence of pancreas-derived stem cells on scaffold based skin regeneration.” Biomaterials. (2008) 30:789-796

Maass, A., Kajahn, J., Guerleyik, E., Guldner, N.W., Rapoport, D.H. and Kruse, C. “Towards a pragmatic strategy for regenerating infarcted myocardium with glandular stem cells” Ann. Anat. (2009) 191:51-61

Ciba, P., Sturmheit, T.M., Petschnik, A.E., Kruse C. and Danner S. “*In vitro* cultures of human pancreatic stem cells: Gene and protein expression of designated markers varies with passage” Ann. Anat. (2009) 191:94-103

Gorjup, E., Danner, S., Rotter, N., Habermann, J., Brassat, U., Brummendorf, T.H., Wien, S., Meyerhans, A., Wollenberg, B., Kruse, C., von Briesen, H. „Glandular tissue from human pancreas and salivary gland yields similar stem cell populations.” Eur. J. Cell Biol. (2009) 409-421

Tiede, S., Kloepper, J.E., Ernst, N, Poeggeler, B., Kruse, C. and Paus, R. “Nestin in Human Skin: Exclusive Expression in Intramesenchymal Skin Compartments and Regulation by Leptin” J. Invest. Dermatol. (2009) 129(11):2711-2720

Rapoport, D.H., Schicktanz, S., Gürleyik, E., Zühlke, C and Kruse, C. „Isolation and in vitro cultivation turns cells from exocrine human pancreas into multipotent stem cells” Ann. Anat. (2009) 191:446-458

Egaña J.T., Danner S., Kremer M., Rapoport D.H., Lohmeyer J.A., Dye J.F., Hopfner U., Lavandero S., Kruse C., Machens H.G., „The use of glandular-derived stem cells to improve vascularization in scaffold-mediated dermal regeneration” Biomaterials (2009) 30: 5918-5926

Petschnik A.E., Klatte J.E., Evers L.H., Kruse C., Paus R., Danner S. „Phenotypic indications that human sweat glands are a rich source of nestin positive stem cell populations” Brit. J. Dermatol. (2010) 162: 380-383

Ernst N., Tiede S., Tronnier V., Kruse C., Zechel C., Paus R., „An improved, standardized protocol for the isolation, enrichment and targeted neural differentiation of Nestin+ progenitors from adult human dermis“ Exp. Dermatol. (2010) 19: 549-555

Rakers, S.; Gebert, M.; Uppalapati, S.; Meyer, W.; Maderson, P.; Sell, A.; Kruse, C.; Paus, R. “Fish matters”: The relevance of fish skin biology to investigative dermatology Exp. Dermatol. (2010) 19: 313-324

Grunow B., Ciba P., Rakers S., Klinger M._a , Anders E._b , Kruse C.* “*In vitro* expansion of autonomously contracting, cardiomyogenic structures from rainbow trout, (*Oncorhynchus mykiss*) J. Fish Biol. (2010) 76: 427-434

Ciba P, Hering-Hagenbeck S., Nagel U., Kruse C. „Untersuchung und Archivierung von Stammzellen aus Wildtieren; hier: Schneeleopard (*Uncia uncia*) und Rothschildgiraffe (*Giraffa camelopardalis rothschildi*).“ Der Zoologische Garten. 79:132-140

Petschnik A.E., Fell B., Kruse C., Danner S. “The role of alpha-smooth muscle actin in myogenic differentiation of human glandular stem cells and their potential for smooth muscle cell replacement therapies.” (2010) Expert Opin Biol Ther. 10: 853-861

Grunow B., Wenzel J., Terlau H., Langner S., Gebert M. & Kruse C. “In vitro developed spontaneously contracting cardiomyocytes from rainbow trout as a model system for human heart research.” Cellular Physiol. Biochem. (2011) 27, 01-12 IF: 3,25

Zhang Z, Ito WD, Hopfner U, Böhmert B, Kremer M, Reckhenrich AK, Harder Y, Lund N, Kruse C, Machens HG, Egaña JT „The role of single cell derived vascular resident endothelial progenitor cells in the enhancement of vascularization in scaffold-based skin regeneration.“ Biomaterials. 2011 Mar 22. [Epub ahead of print] IF: 6,6

Langner S., Rakers S., Ciba P., Petschnik A.E., Rapoport D.H., Kruse C., New cell line from adipopancreatic tissue of Atlantic herring *Clupea harengus*. Aquatic Biology, Vol. 11: 271–278, 2011, doi: 10.3354/ab00317

Richter A, Kühn N, Danner S, Kruse C Organotypic brain slice cultures can be used to simulate transplantation studies in vitro Biomed Tech 2011; 56 (Suppl. 1), DOI: 10.1515/BMT.2011.694

Ciba, P., Lermen, D., Fuhr, G.R., Kruse, C. Organization and implementation of a modern biobank (“CRYO-BREHM”): current and future applications for cryoconserved wildlife cell cultures Biopreservation and Biobanking. September 2011, 9(3): 289-313

Grunow B., Wenzel J., Terlau H., Langner S., Gebert M. & Kruse C. In vitro developed spontaneously contracting cardiomyocytes from rainbow trout as a model system for human heart research, Cellular Physiology and Biochemistry (2011) 27, 01-12

Rakers, S., Klinger, M., Kruse, C., Gebert, M. Pros and cons of fish skin cells in culture: Long-term full skin and short-term scale cell culture from rainbow trout, *Oncorhynchus mykiss*, European Journal of Cell Biology, 2011 Dec;90(12):1041-51. doi:10.1016/j.ejcb.2011.08.003

Richter, A., Kruse, C., Moser, A., Hofmann, U.G., and Danner, S. Cellular modulation of polymeric device surfaces: promise of adult stem cells for neuroprosthetics., Frontiers in Neuroscience (2011) 5:114, doi: 10.3389/fnins.2011.00114

D. H. Rapoport, T. Becker, A. Madany Mamlouk, S. Schicktanz, and C. Kruse A novel validation algorithm allows for automated cell tracking and the extraction of biologically meaningful parameters PLoS ONE. 2011 Nov;6(11):e27315

Petschnik AE, Fell B, Tiede S, Habermann JK, Pries R, Kruse C, Danner S, A novel xenogeneic co-culture system to examine neuronal differentiation capability of various adult human stem cells, PLoS One, 2011;6(9):e24944

Richter A, Kruse C, Moser A, Hofmann UG and Danner S, Next-generation deep brain stimulating devices with neuropil-mimicking cell cover, Regenerative Medicine 6, 463, ISSN 1746-0751

Klimach P., Richter A., Danner S., Kruse C., Tronnier V., Hofmann UG. Automated image analysis of immunohistochemical stained brain slices of long term polyimid brain implants, Biomed Tech (Berl.), DOI: 10.1515/bmt-2012-4179

Grunow B., Schmidt M., Klinger M., Kruse C., Development of an in vitro cultivated, spontaneously and long-term contracting 3D heart model as a robust test system, Cell Science and Therapy 3:116. Doi:10.4172/2157-7013.1000116

Bünger, S., Barow, M., Thorns, C., Freitag-Wolf, S., Danner, S., Tiede, S., Pries, R., Görg, S., Bruch, HP., Roblick, UJ., Kruse, C., Habermann, JK. Pancreatic Carcinoma Cell Lines Reflect Frequency and Variability of Cancer Stem Cell Markers in Clinical Tissue, Eur Surg Res, Aug 30;49(2):88-98

Richter A, Xie Y, Schumacher A, Loeffler S, Kirch, Al-Hasani J, Rapoport DH, Kruse C, Moser A, Tronnier V, Danner S, Hofmann UG A simple implantation method for flexible, multisite microelectrodes into rat brains, Front Neuroeng 2013; 6:6

Danner S, Benzin H, Vollbrandt T, Oder J, Richter A, Kruse C Quantum Dots Do Not Alter the Differentiation Potential of Pancreatic Stem Cells and Are Distributed Randomly among Daughter Cells, International Journal of Cell Biology, vol. 2013, Article ID 918242

Rakers, S., Niklasson, L., Steinhagen, D., Kruse, C., Schäuber , J., Sundell, K., Paus R, Antimicrobial peptides (AMPs) from fish epidermis: Perspectives for investigative dermatology, Journal of Investigative Dermatology (JID)133, 1140-1149, doi:10.1038/jid.2012.503, 2013

Nagel S., Rohr F., Weber C., Kier J., Siemers F., Kruse C., Danner S., Brandenburger M., Matthiessen AE, Multipotent Nestin-Positive Stem Cells Reside in the Stroma of Human Eccrine and Apocrine Sweat Glands and Can Be Propagated Robustly In Vitro, PLoS ONE 8(10): e78365, 2013

Richter A, Nissen N, Mailänder P, Stang F, Siemers F, Kruse C, Danner S Mammary gland-derived nestin+ cell populations can be isolated from human male and female donors, Stem Cell Res Ther. 2013 Jul 8;4(4):78

Ackermann, P.; Hetz, S.; Dieckow, J.; Schicht, M.; Richter, A.; Kruse, C.; Schroeder, I.; Jung, M.; Paulsen, F.P. Isolation and investigation of presumptive murine lacrimal gland stem cells, Investigative Ophthalmology & Visual Science, Vol.56, 4350-4363. doi:10.1167/iovs.15-16475, 2015

Kisch, T., Weber, C., Rapoport, D. H., Kruse, C., Schumann, S., Strang, F. H., Siemers, F., Matthießen, A. E. LPS-Stimulated Human Skin-derived Stem Cells Enhance Neo-Vascularization during Dermal Regeneration, PLoS ONE 10(11): e0142907. doi:10.1371, 2015

Brockmann I, Ehrenfordt J, Sturmheit T, Brandenburger M, Kruse C, Zille M, Skin-Derived Stem Cells for Wound Treatment Using Cultured Epidermal Autografts: Clinical Applications and Challenges,

Buchbeiträge

Kruse, Ch., Arndt, G.-M., Plantikow, H. und Spannhof, L. „Effects of steroids on the growth, pancreatic enzyme level and the number of estradiol receptors in the exocrine pancreas of rainbow trout at different stages of development“, Fish Ecotoxicology and Ecophysiology, VCH Verlagsgesellschaft mbH, Weinheim (1993), 354-366

Krammer, H.-J., Kruse, C., Kühnel, W. "Proteine gene product 9.5 - a marker for cells of the enteric nervous (and neuroendocrine) system", Gastrointestinal tract and endocrine system, Kluwer academic publishers, Dordrecht/Boston/London (1995), 83-88

Kruse, C., Krammer, H.-J., H.-J., Arndt, G.-M.; Hopp-Christensen, T., Schmidt and Müller, P. K. "The gonadal-pancreatic axis", Gastrointestinal tract and endocrine system Kluwer academic publishers, Dordrecht/Boston/London (1995), 584-591

Kruse, C., Hilgendorf, I., Gellersen, O., Rohwedel, J., Pfeiffer, T., Emmrich, J., Krammer, H.-J. and Müller, P. K. „In vitro demonstration of the gonadal-pancreatic-axis represented by vigilin expression in rat pancreatic acinar cells“ in Neurogastroenterology - From the basics to the clinics-Kluwer academic publishers Dordrecht/Boston/London (2000), 375-382

Van de Perck, M., Hilgendorf, I., Vollbrandt, T., Mikkat, U., Krammer, H.-J. Müller, P. K. and Kruse, C. „Effects of testosterone in exocrine pancreas function“, in Neurogastroenterology - From the basics to the clinics- Kluwer academic publishers, Dordrecht/Boston/London (2000), 395-400

Rohwedel, J. and Kruse, C. "BioTissue Engineering - The Isolation of living cartilage cells“, Bio News – Eppendorf 16 (2001), 9-10

Rohwedel, J. and Kruse, C. "Isolierung von lebenden Zellen“ in Piezo-Power für die Mikrodissektion, Eppendorf – Kurzmitteilung (2001)

Rohwedel, J. and Kruse, C. „Isolierung lebender Knorpelzellen (Chondrozyten)“ Bio News - Eppendorf. 20 (2003), 3-4

Kruse, C. Möglichkeiten und Grenzen der Stammzelltherapie. in: „Technische Systeme für Biotechnologie und Umwelt“, 9-12, Hrsg.: Dieter Beckmann und Manfred Meister; ISBN-10: 3-00-018621-2 (2006)

Rakers, S., Grunow, B., Gebert, M. and Kruse, C. „Fish cells grown in vitro are able to build organoid-like bodies and can be used for 3D-cell cultures“ (2009) in European Aquaculture Society Special Publication

Kruse, C., Ciba, P. Die Deutsche Zellbank für Wildtiere als naturkundliche Sammlung“, in: Nicole C. Karafyllis (ed.): Theorien der Lebendsammlung. Pflanzen, Mikroben und Tiere als Biofakte in Genbanken, Lebenswissenschaften im Dialog, Vol. 25, 2018